




Certificate of Analysis

AZDHS Certification # 05LCMI00301434



Local Joint
 4201 E University Dr
 Phoenix, AZ 85034
 (480) 842-1681
 Lic#: N/A

Sample: S111004-03
 CC ID#: 2111C4L0002.5424
 Lot#: N/A
 Batch#: 7552 6226 3895 6087
 Batch Size: 10

FINAL

Sample Name: EGF101821.6807
Strain Name: Ethos Glue
Matrix: Flower

Sample Received: 11/02/2021
 Report Created: 11/09/2021



Potency Results

18.6%	<LOQ%	RATIO	
Total THC	Total CBD	1	0
		THC	CBD

Total THC= THCa * 0.877 + d9-THC
 Total CBD= CBDa * 0.877 + CBD

SAFETY

Microbials	Residual Solvents	Mycotoxins	Pesticides	Herbicide	Metals
PASS	NOT TESTED	NOT TESTED	PASS	NOT TESTED	PASS



C4 LABORATORIES

7650 E. Evans Rd, Unit A
 Scottsdale, AZ 85260
 (480) 219-6460
<http://www.c4lab.com>
 Lic.#0000005LCMI00301434

Dennis Wells
 CSO/QAM




This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 0000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



Local Joint
 4201 E University Dr
 Phoenix, AZ 85034
 (480) 842-1681
 Lic#: N/A

Sample: S111004-03
 CC ID#: 2111C4L0002.5424
 Lot#: N/A
 Batch#: 7552 6226 3895 6087
 Batch Size: 10

FINAL

Sample Name: EGF101821.6807
Strain Name: Ethos Glue
Matrix: Flower

Sample Received: 11/02/2021
 Report Created: 11/09/2021

Cannabinoids by HPLC - Medical

Date Analyzed: 11/02/2021 Analyst Initials: KWT

Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g	
THCA	0.387	20.9	209.00	
d9-THC	0.387	<LOQ	<LOQ	
d8-THC	0.387	<LOQ	<LOQ	
CBDA	0.387	<LOQ	<LOQ	
CBD	0.387	<LOQ	<LOQ	
CBG	0.387	<LOQ	<LOQ	
CBN	0.387	<LOQ	<LOQ	
CBC	0.387	<LOQ	<LOQ	
Total Cannabinoids	0.387	21.2	212.00	
Total THC	0.387	18.6	186.00	
Total CBD	0.387	<LOQ	<LOQ	

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.
 LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 Cannabinoids method: HPLC-DAD.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
 Scottsdale, AZ 85260
 (480) 219-6460
<http://www.c4lab.com>
 Lic.#00000005LCMI00301434

Dennis Wells
 CSO/QAM




This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



Local Joint
4201 E University Dr
Phoenix, AZ 85034
(480) 842-1681
Lic#: N/A

Sample: S111004-03
CC ID#: 2111C4L0002.5424
Lot#: N/A
Batch#: 7552 6226 3895 6087
Batch Size: 10

FINAL

Sample Name: EGF101821.6807
Strain Name: Ethos Glue
Matrix: Flower

Sample Received: 11/02/2021
Report Created: 11/09/2021

Pesticides by LCMSMS - Medical

Pass

Date Analyzed: 11/05/2021 Analyst Initials: EXP

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.114	0.5	<LOQ		Pass	Hexythiazox	0.238	1.0	<LOQ	M2	Pass
Acephate	0.095	0.4	<LOQ		Pass	Imazalil	0.048	0.2	<LOQ		Pass
Acequinocyl	0.476	2.0	<LOQ		Pass	Imidacloprid	0.095	0.4	<LOQ		Pass
Acetamiprid	0.048	0.2	<LOQ		Pass	Kresoxim-methyl	0.095	0.4	<LOQ		Pass
Aldicarb	0.095	0.4	<LOQ		Pass	Malathion	0.048	0.2	<LOQ		Pass
Azoxystrobin	0.048	0.2	<LOQ		Pass	Metalaxyl	0.048	0.2	<LOQ		Pass
Bifenazate	0.048	0.2	<LOQ		Pass	Methiocarb	0.048	0.2	<LOQ		Pass
Bifenthrin	0.048	0.2	<LOQ		Pass	Methomyl	0.095	0.4	<LOQ		Pass
Boscalid	0.095	0.4	<LOQ		Pass	Myclobutanil	0.048	0.2	<LOQ		Pass
Carbaryl	0.048	0.2	<LOQ		Pass	Naled	0.119	0.5	<LOQ		Pass
Carbofuran	0.048	0.2	<LOQ		Pass	Oxamyl	0.238	1.0	<LOQ		Pass
Chlorantraniliprole	0.048	0.2	<LOQ		Pass	Paclobutrazol	0.095	0.4	<LOQ		Pass
Chlorfenapyr	0.476	1.0	<LOQ		Pass	Permethrins	0.048	0.2	<LOQ	M2	Pass
Chlorpyrifos	0.048	0.2	<LOQ		Pass	Phosmet	0.048	0.2	<LOQ		Pass
Clofentezine	0.048	0.2	<LOQ		Pass	Piperonyl butoxide	0.476	2.0	<LOQ		Pass
Cyfluthrin	0.476	1.0	<LOQ		Pass	Prallethrin	0.048	0.2	<LOQ		Pass
Cypermethrin	0.238	1.0	<LOQ		Pass	Propiconazole	0.095	0.4	<LOQ		Pass
Daminozide	0.476	1.0	<LOQ	M2	Pass	Propoxur	0.048	0.2	<LOQ		Pass
Diazinon	0.048	0.2	<LOQ	M2	Pass	Pyrethrins	0.152	1.0	<LOQ	M2	Pass
Dichlorvos	0.048	0.1	<LOQ		Pass	Pyridaben	0.048	0.2	<LOQ		Pass
Dimethoate	0.048	0.2	<LOQ		Pass	Spinosad	0.048	0.2	<LOQ		Pass
Ethoprophos	0.048	0.2	<LOQ		Pass	Spiromesifen	0.048	0.2	<LOQ		Pass
Etofenprox	0.095	0.4	<LOQ		Pass	Spirotetramat	0.048	0.2	<LOQ		Pass
Etoxazole	0.048	0.2	<LOQ		Pass	Spiroxamine	0.095	0.4	<LOQ		Pass
Fenoxycarb	0.048	0.2	<LOQ	M2	Pass	Tebuconazole	0.095	0.4	<LOQ	M2	Pass
Fenpyroximate	0.095	0.4	<LOQ		Pass	Thiacloprid	0.048	0.2	<LOQ		Pass
Fipronil	0.095	0.4	<LOQ		Pass	Thiamethoxam	0.048	0.2	<LOQ		Pass
Flonicamid	0.238	1.0	<LOQ		Pass	Trifloxystrobin	0.048	0.2	<LOQ		Pass
Fludioxonil	0.095	0.4	<LOQ		Pass						

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides method: LC/MS/MS.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434

Dennis Wells
CSO/QAM



**ARIZONA DEPARTMENT
OF HEALTH SERVICES**

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



PJLA
Accredited License #96186
Scope of Accreditations #L20-308

Local Joint

4201 E University Dr
Phoenix, AZ 85034
(480) 842-1681
Lic#: N/A

Sample: S111004-03

CC ID#: 2111C4L0002.5424
Lot#: N/A
Batch#: 7552 6226 3895 6087
Batch Size: 10

FINAL**Sample Name: EGF101821.6807****Strain Name: Ethos Glue****Matrix: Flower**

Sample Received: 11/02/2021

Report Created: 11/09/2021

Metals by ICPMS - Medical**Pass**

Date Analyzed: 11/08/2021 Analyst Initials: ASJ

Analyte	LOQ	Limit	Mass	Q	Status
	ppm	ppm	ppm		
Arsenic	0.099	0.4	<LOQ		Pass
Cadmium	0.099	0.4	<LOQ		Pass
Lead	0.394	1.0	<LOQ		Pass
Mercury	0.394	1.2	<LOQ		Pass

LOQ = Limit of Quantitation; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**C4 LABORATORIES**

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434

Dennis Wells
CSO/QAM




**ARIZONA DEPARTMENT
OF HEALTH SERVICES**

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



Local Joint
4201 E University Dr
Phoenix, AZ 85034
(480) 842-1681
Lic#: N/A

Sample: S111004-03
CC ID#: 2111C4L0002.5424
Lot#: N/A
Batch#: 7552 6226 3895 6087
Batch Size: 10

FINAL

Sample Name: EGF101821.6807
Strain Name: Ethos Glue
Matrix: Flower

Sample Received: 11/02/2021
Report Created: 11/09/2021

Microbials Pass

E. coli by 3M Petrifilm- Medical

Plate

Date Analyzed: 11/05/2021 Analyst Initials: KAM

Analyte	LOQ	Limit	Mass	Q	Status
	cfu/g	cfu/g	cfu/g		
E. coli	1.0	100	<LOQ		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.

Aspergillus and Salmonella by qPCR - Medical

qPCR

Date Analyzed: 11/04/2021 Analyst Initials: KAM

Analyte	LOQ	Limit	Mass	Q	Status
	cfu/g	cfu/g	cfu/g		
Salmonella spp.	1	1	<LOQ		Pass
Aspergillus	1	1	<LOQ		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434

Dennis Wells
CSO/QAM




This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



Local Joint
 4201 E University Dr
 Phoenix, AZ 85034
 (480) 842-1681
 Lic#: N/A

Sample: S111004-03
 CC ID#: 2111C4L0002.5424
 Lot#: N/A
 Batch#: 7552 6226 3895 6087
 Batch Size: 10

FINAL

Sample Name: EGF101821.6807
Strain Name: Ethos Glue
Matrix: Flower

Sample Received: 11/02/2021
 Report Created: 11/09/2021

Notes and Definitions

Item	Definition
L1	The percent recovery of the LCS was outside of control limits for the test but analyte was not detected above the Action Limit in Table 3.1.
M1	Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.
M2	Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
 Scottsdale, AZ 85260
 (480) 219-6460
<http://www.c4lab.com>
 Lic.#00000005LCMI00301434

Dennis Wells
 CSO/QAM



This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.